



Hydroxinator® iQ

Water treatment > MagnaPool® > Hydroxinator® iQ

- + Unrivalled swimming comfort
- + Crystal-clear water: clarifying effect of magnesium and glass media
- + Eco-friendly: use less water and energy, fewer chemical additives
- + Upgradable: optional pH regulation (pH Link) or pH and ORP regulation module (Dual Link)



3 YEAR WARRANTY

UNCONDITIONAL WARRANTY UNCONDITIONAL



AquaLink CONTROL

Ti²² TITANE INSIDE



Hydroxinator® iQ 10

Hydroxinator® iQ 18

Hydroxinator® iQ 22

Hydroxinator® iQ 35

PRODUCT REFERENCE

Standard model	WW000172	WW000173	WW000174	WW000175
----------------	----------	----------	----------	----------

ACCESSORIES INCLUDED IN THE PACK

Wall mounting kit	Flow switch kit	Temperature sensor kit	Reducing bushes kit	Free App

FOR WHICH POOL?

Volume of treated water (temperate climate, 8h/day filtration)	40 m ³	70 m ³	100 m ³	150 m ³
Nominal Chlorine production	10 g/h	18 g/h	22 g/h	35 g/h
Nominal output Amps	2,8 A	3,6 A	5,0 A	7,2 A

DESCRIPTION

User interface	4-line, backlit LCD screen
Languages	11 (FR-EN-DE-ES-IT-NL-PT-CZ-SL-HU-SW)
Operating modes	normal, Boost (100 %); Low (Adjustable cover mode from 0 to 30 %)
Equipment Control	Single speed or Zodiac variable speed filtration pump 2 additional equipment (lighting, booster pump...)
Clock / Timer	24 h clock / 2 chlorination timers 2 single speed or 4 Zodiac variable speed filter pump timers 1 timer per additional equipment
Polarity reversal	Yes: adjustable from 2 to 8h (Factory setting= 5h)
Recommended minerals rate - minimum*	4 g/L - 3,3 g/L minimum
Safety Features	Temperature sensor: Chlorine production lowered in case of cold water to protect the electrode 'Low salt' indicator light: Reduced production to protect the electrode 'No flow' message: Production is interrupted as long as conditions are not ideal Mechanical flow switch
Cell Position	Horizontal
Plumbing compatibility	DN50 mm, DN63 mm, 1 1/2" (48 mm)

* Mineral levels are measured using the usual salinity testers. Add 5 x 10kg bags per 10 m³ to measure a concentration of 4 g/L (4000 ppm).



9 317545 026435
Hydroxinator® iQ 10



9 317545 026459
Hydroxinator® iQ 18



9 317545 026138
Hydroxinator® iQ 22



9 317545 026145
Hydroxinator® iQ 35